Aluminium Finger Pull doors

Available in Satin Aluminium and the new Black Anodised finish, the Aluminium Finger Pull profile features a 'J' shaped handle recessed along the edge of the door creating a streamlined handleless appearance.

The Aluminium Finger Pull profile can be ordered with a matching or contrast insert to create a shadowline feature.



COVER IMAGE: Black Anodised Aluminium Finger Pull doors in **DECORATIVE** 16mm Empire Oak Woodmatt.

Aluminium Finger Pull

doors





www.polytec.com.au

p 1300 300 547



Createc		Venette							
New Ultra White	С	Ultra White	v	Blossom White	v	Topiary v			
Cinder	С	Avion Grey	v	Nouveau Grey	V	Oasis v			
Black	c	Canterbury Grey	v	Forage	v	Ferro v			
		Arabica	v	Cinder	v	Habitat v			
		Black Wenge	v	Botanic	v	Adriatic v			
		Black	V	Oxford	v	polytec swatches and samples represent a small area of the overall colour structure. To view the large colour sample, visit www.polytec.com.au. Dark coloured surfaces will show fingerprints and require more care and maintenance than lighter coloured surfaces. It is recommended to test a product sample prior to colour selection.			

Available finishes \mathbf{C} = Createc \mathbf{V} = Venette



Legato	Ultraglaze		
Crisp White L	Bone White	L	Arctic
Winte	WILLE	L	ice
White Cement L	Papyrus	L	Pearl Metallic
Silk L	Montage	L	Royal Oyster
Grey Cement L	Castel	L	Champagne Metallic
Bespoke L polytec swatches and samples	Serene	L	Phantom Black

polytec swatches and samples represent a small area of the overall colour structure. To view the large colour sample, visit www.polytec.com.au. Dark coloured surfaces will show fingerprints and require more care and maintenance than lighter coloured surfaces. It is recommended to test a product sample prior to colour selection.

2

Ultramatt



3

Specialty Woodmatt

:0 -G Blossom Bleached Soft Distressed White R Walnut R Walnut R Wood Gossamer Drifted Natural Satra Wood Oak Oak White R Notaio Walnut Tessuto Milan Greige R Artisan Oak Maison Avion Grey R Oak Maroso Milan Elemental Café Oak Grey R Char Canterbury Black Oak Wenge

Available finishes $\mathbf{R} = \text{Ravine } \mathbf{Wm} = \text{Woodmatt}$



Woodmatt

polytec swatches and samples

represent a small area of the overall colour structure. To view the large colour sample


visit www.**polytec**.com.au. Dark coloured surfaces will show

fingerprints and require more care and maintenance than lighter coloured surfaces. It is recommended to test a product sample prior to colour selection.




Available finishes Wm = Woodmatt

4



Smooth					Matt, Sheen					
Aston White	Sm	Gossamer White s	ôm	Verdelho Sm	Polar White м	1, S	Classic White	M, S	White Cotton M	Blossom White м
Pallido	Sm	Elemental Grey s	Sm	Agave Sm	Parchment	М	Alabaster	м	White Mist м	Porcelain м
	Sm		ôm	Mercurio Grey Sm	New	Μ	Antique	Μ	Soft Walnut M	Сrema Lini м
Forage	Sm	Botanic	ôm	Adriatic Sm	Pure gold Leaf	м	Light Brass Leaf	М	Tuross Oak M	Natural Oak M
Arabica	Sm	Onyx Figured-Wood	Gm	Habitat Sm	Notaio Walnut	M	Copper Leaf	М	Rose Gold Leaf M	Prime Dak M
Sienna Figured-Wood	Śm	Ochre Figured-Wood		polytec swatches and samples represent a small area of the overall colour structure. To view the large colour sample, visit www.polytec.com.au. Dark coloured surfaces will show fingerprints and require more care and maintenance than lighter coloured surfaces. It is recommended to test a product sample prior to colour selection.	Jamaican Walnut	M	European Walnut		Bronze Gold Leaf M	Tasmanian Oak M

Matt, Sheen



Available finishes $\mathbf{M} = Matt \mathbf{S} = Sheen$

Available finishes $\mathbf{Sm} = \mathbf{Smooth} \quad \mathbf{M} = \mathbf{Matt} \quad \mathbf{S} = \mathbf{Sheen}$

7

Black Anodised Aluminium Finger Pull doors in DECORATIVE 16mm Empire Oak Woodmatt Entertainment unit in LAMINATE Empire Oak Woodmatt and DECORATIVE 16mm Empire Oak Woodmatt. Wall lining in **DECORATIVE** 18mm Dark Batten Oak Woodmatt











care and maintenance.

in each product group.

ENVIRONMENT & SUSTAINABILITY

At polytec, sustainability is ingrained in the core of our business operations, products, and work practices. Our continual dedication to improving and appropriately managing the environmental impact of our products involves our commitment to steadfastly reducing our carbon footprint, minimising waste, optimising energy efficiency and integrating ethically sourced materials into our product ranges.

Our MDF and Particleboard are manufactured from managed and renewable plantation pine that has been Green Tag, Responsible Wood and PEFC certified. All **polytec** board products are manufactured from EO or E1 substrates, with particleboard now made from a percentage of recycled wood material.

In our pursuit of responsible waste management, we implement various recycling programs encompassing aluminium, metals, used oils, and timber waste, which is repurposed into packaging, particleboard, and energy. We actively engage with local government environmental initiatives, subject ourselves to voluntary audits, and uphold our internal Energy and Carbon Management Policy (ECM), aligned with the Australian Government's Energy Efficiency Opportunities (EEO) program.

Our network of national facilities boasts over 53,000 solar panels, generating 15,238,000 kWh of renewable energy - equivalent to planting 7,377 trees and preventing the emission of 11,000 tonnes of CO2. The Oberon facility is Australia's largest rooftop solar system, with 27,000 panels spread across 8 hectares of rooftop.

In our ongoing commitment to sustainability, **polytec** continues to refine and enhance our practices to contribute to the establishment of a circular economy, fostering a better future for all.

polytec doors, panels and benchtops are certified Australian Made & Owned.

CARE & MAINTENANCE

Aluminium finger pull doors are supplied with a protective film to protect the surface during installation. This film must be removed within three months of installation.

Your Aluminium finger pull doors are made from a Moisture Resistant Medium Density Fibreboard (MR MDF), but as with many wood based panels, they are not waterproof. Care should be taken to wipe up spills immediately, ensuring the doors are not exposed to high or continuous levels of moisture, steam and humidity.

Decorative doors & panels should be cleaned by wiping down with a damp soft cloth and warm soapy water. Followed by drying using a soft or microfibre cloth so as not to leave any residue on the door or panel. For more stubborn stains use a good quality streak free glass cleaner. Always ensure you refer to the recommendations provided by the manufacturer of the cleaning product before use.

By following these simple steps you should retain a beautiful kitchen surface for many years.

Visit www.polytec.com.au for specific care and cleaning information.

IMPORTANT

Darker colours will show superficial wear and tear more readily than lighter coloured surfaces and require more

The colours and details shown in this brochure are to the highest standards in printing. However, they should only be used as an indication of actual product colour. To order your free colour sample visit www.polytec.com.au.

polytec swatches and samples represent a small area of the overall colour structure, to view a large colour sample or a full sheet design, visit www.polytec.com.au.

The use of our current samples gives the colour and finish that a customer would expect to receive. Samples are provided for colour and finish selection and polytec recommend testing a sample for fingerprint resistance and ease of cleaning. polytec does not guarantee exact colour matches across product ranges due to colour variation