## **Bevel Edge** doors

**polytec's** Bevel Edge profile provides a sleek, seamless looking door reflecting the current kitchen trends by giving a modern, minimalistic appearance without any handle hardware interruption. This will allow for the beauty of the selected finish to be the focus of the kitchen.



COVER IMAGE: Bevel Edge doors in **DECORATIVE** 16mm Florentine Walnute Woodmatt.

Doors in **DECORATIVE** 16mm Empire Oak Woodmatt.





Ultraglaze Legato Ultramatt Crisp Bone Bleached Arctic White L White L Walnut Ice Ug White Um Jasmine White Pearl Pewter L Papyrus L Walnut Cement Metallic Metallic Mineral Metallic Drifted Superior Ug Mink L Montage Oak White Grey Maison Obsidian Metallic Cement Castel Cream Ug Lava Royal Ug Black Bespoke Serene Oyster polytec swatches and samples represent a small area of the overall colour structure. To view the large colour sample, visit www.**polytec**.com.au. Dark coloured surfaces will show fingerprints and require more care and maintenance than lighter coloured surfaces. It is recommended to test a product sample prior to colour selection. IMAGE LEFT: Benchtop in XENOLITH Grey Cement Smooth. Cloudy Grey Bevel Edge drawers in DECORATIVE 18mm Blossom White Venette. Ug Evergreen Available finishes  $\mathbf{L} = \text{Legato} \ \mathbf{U}\mathbf{g} = \text{Ultraglaze} \ \mathbf{U}\mathbf{m} = \text{Ultramatt}$ 

2

Ravine Specialty Woodmatt



Available finishes **R** = Ravine **Wm** = Woodmatt

Woodmatt



5

Available finishes **Wm** = Woodmatt

4

Available finishes Sm = Smooth M = Matt S = Sheen


fingerprints and require more

care and maintenance than

lighter coloured surfaces. It is

recommended to test a product sample prior to colour selection.

Matt, Sheen



Available finishes **M** = Matt **S** = Sheen



## **ENVIRONMENT & SUSTAINABILITY**

At **polytec**, sustainability is ingrained in the core of our business operations, products, and work practices. Our continual dedication to improving and appropriately managing the environmental impact of our products involves our commitment to steadfastly reducing our carbon footprint, minimising waste, optimising energy efficiency and integrating ethically sourced materials into our product ranges.

Our MDF and Particleboard are manufactured from managed and renewable plantation pine that has been Green Tag, Responsible Wood and PEFC certified. All **polytec** board products are manufactured from E0 or E1 substrates, with particleboard now made from a percentage of recycled wood material.

In our pursuit of responsible waste management, we implement various recycling programs encompassing aluminium, metals, used oils, and timber waste, which is repurposed into packaging, particleboard, and energy. We actively engage with local government environmental initiatives, subject ourselves to voluntary audits, and uphold our internal Energy and Carbon Management Policy (ECM), aligned with the Australian Government's Energy Efficiency Opportunities (EEO) program.

Our network of national facilities boasts over 53,000 solar panels, generating 15,238,000 kWh of renewable energy — equivalent to planting 7,377 trees and preventing the emission of 11,000 tonnes of CO2. The Oberon facility is Australia's largest rooftop solar system, with 27,000 panels spread across 8 hectares of rooftop.

In our ongoing commitment to sustainability, **polytec** continues to refine and enhance our practices to contribute to the establishment of a circular economy, fostering a better future for all.

polytec doors, panels and benchtops are certified Australian Made & Owned.

## **CARE & MAINTENANCE**

polytec do not recommend the use of Bevel Edge door products in a sliding or non-fixed application (hinged) unless the use of a mechanical stabilising system is fitted. Bevel Edge doors are supplied with a protective film to protect the surface during installation. This film must be removed within three months of installation.

Your Bevel Edge doors are made from a Moisture Resistant Medium Density Fibreboard (MR MDF), but as with many wood based panels, they are not waterproof. Care should be taken to wipe up spills immediately, ensuring the doors are not exposed to high or continuous levels of moisture, steam and humidity.

Decorative doors & panels should be cleaned by wiping down with a damp soft cloth and warm soapy water. Followed by drying using a soft or microfibre cloth so as not to leave any residue on the door or panel. For more stubborn stains use a good quality streak free glass cleaner. Always ensure you refer to the recommendations provided by the manufacturer of the cleaning product before use.

By following these simple steps you should retain a beautiful kitchen surface for many years.

Visit www.polytec.com.au for specific care and cleaning information.

## **IMPORTANT**

Darker colours will show superficial wear and tear more readily than lighter coloured surfaces and require more care and maintenance.

The colours and details shown in this brochure are to the highest standards in printing. However, they should only be used as an indication of actual product colour. To order your free colour sample visit www.polytec.com.au.

**polytec** swatches and samples represent a small area of the overall colour structure, to view a large colour sample or a full sheet design, visit www.polytec.com.au.

The use of our current samples gives the colour and finish that a customer would expect to receive. Samples are provided for colour and finish selection and **polytec** recommend testing a sample for fingerprint resistance and ease of cleaning. **polytec** does not guarantee exact colour matches across product ranges due to colour variation in each product group.

9