



THERMOLAMINATED doors & panels

polytec's beautifully crafted range of Thermolaminated doors & panels will elevate the look of your design. With a variety of styles to choose from, Thermolaminated doors & panels will add character to your home or office. From sleek, contemporary minimalistic designs to the more traditional look of country style doors, **polytec** can supply a style that will complement your space.

Using advanced technology, Thermolaminated doors & panels are made from moisture resistant E-Zero MDF, constructed with a durable and decorative surface on the face and edges. The result is a stylish, fully profiled door. The thermoformed surface makes it resistant to the usual knocks and bumps of a busy household, ensuring your kitchen will remain a showpiece for years to come.

Thermolaminated doors & panels are available in a wide range of colours, profiles, and surface finish options. The Thermolaminated range offers Woodmatt and solid neutral Smooth colours, enabling flexible design capabilities with extensive profile options.

polytec expands the Boston Oak Collection to Thermolaminated doors & panels range. All 12 oak colours are available across all door styles, further enhancing the versatility and design potential of the Boston Oak Collection.

The Boston Oak Collection is a global creative first, offering a curated selection of 12 colours inspired by tradition timber staining techniques. Built upon the Boston Oak structure, this collection was developed in Australia to deliver unparalleled flexibility, longevity, and seamless mix-and-match aesthetics.

Versatile across both residential and commercial applications, the Boston oak Collection's colour range allows designers and homeowners to achieve a cohesive and contemporary look with ease.

Stylish, functional, and simple, Thermolaminated doors & panels are suitable for any internal joinery application including vanities, wardrobes, custom-built furniture, storage units, laundry cupboards, wall panelling, and more. Create a statement using **polytec**'s Thermolaminated doors & panels, allowing you to bring depth and texture to your interior spaces.

Using high grade materials and ultra-modern technology, **polytec** products are exceptional in design and durability. All **polytec** manufactured doors come with a 7-year limited warranty, giving you piece of mind.

polytec are the market leaders in custom-made cabinet doors. Our success results from over 35 years of manufacturing experience, and we are proudly Australian Made and Owned.









STYLE 4 Tamworth

Cross sections are not true to scale.






EM = Edge Mould

Cross sections are not true to scale.

STYLE 4 Patonga EM2

STYLE 4 Cammeray

EM = Edge Mould





sharp profile / style 3 available in all colours and finishes.





EM = Edge Mould

STYLE 3 Valencia

Cross sections are not true to scale.

STYLE 3 Colombo EM7



STYLE 3 Beirut EM2

EM = Edge Mould Cross sections are not true to scale.




soft profile / style 2 available in all colours and finishes. Soft profile / style 2 available in all colours and finishes.





EM = Edge Mould Cross sections are not true to scale.











STYLE 2 Croydon EM9

Cross sections are not true to scale.



F68

door frames



Door Frame 1 SINGLE REBATE

Door Frame 2 TWO REBATE Horizontal




Type A


Type E

Type I


Door Frame 2
TWO REBATE Vertical




Type C



Door Frame 3
THREE REBATE Type G



Door Frame 4
FOUR REBATE



Door Frame 6 SIX REBATE

Type K

Drawings are for illustrative purpose only, and are not true to scale.





Bringing a modern aesthetic, **polytec**'s new range of Thermolaminated Mirror Panels are designed to add an element of luxury to your space. Available in four designs – Arch, Oblong, Rectangle, and Rounded Rectangle – all options offer a unique design to create a decorative feature in any home or office.

polytec's new Mirror Panels are offered in all current colours and finishes in the Thermolaminated range, except for Gloss. This wide range of choice gives you flexibility with your design style.

The 18mm thick Mirror Panels are 900mm x 580mm. Used for a variety of applications, **polytec**'s Thermolaminated Mirror Panels are manufactured and produced to complement various designs that will stand the test of time.

IMAGE LEFT:

THERMOLAMINATED Arch Mirror in Coastal Oak Woodmatt.

THERMOLAMINATED Chifley doors in Coastal Oak Woodmatt.

Drop Front benchtop in XENOLITH Marmo di Torre Smooth.

STECCAWOOD Half Round battens in Marmo di Torre Smooth.



Return Panels

Featuring a seamless square front edge in either 18mm, 21mm, 36mm or 42mm, the Return Panels are ideal for creating a contemporary quality look for your end panels.

Return panels are available in a range of colours and finishes to match or contrast your doors.

Click here to view the **polytec** Availability Guide for more information.








Decorative Flutes

polytec Decorative Flutes are available in 11 different styles, in select Thermolaminated colours and finishes.


Add a touch of old world elegance with these timelessly traditional design features.


















* Not available in Gloss

THERMOLAMINATED Chifley doors, drawers and panels in Topiary Smooth.

Island bench with 36mm Return Panel in Topiary Smooth.

Benchtop in LAMINATE Quartiera Maple Woodmatt.

Wall lining in LAMINATE White Cement Smooth.

Recessed Rails

Minimalist and handle-free doors and drawers are the latest trends in kitchen design. To create a modern space with flowing horizontal lines, polytec offer a range of Recessed Rails to match our Thermolaminated doors & panels. polytec also offer a range of recessed handle door styles, refer to page 30.





Shelving & Capping

Integrate shelving units into your kitchen with polytec Thermolaminated panels in matching colours and finishes.

Shelving is a great way to restyle your kitchen, allowing for the display of decorative items to evoke different moods and styles. Capping accessories help to achieve a traditional finish to upper cabinetry with elaborately detailed mouldings available in a variety of colours and finishes.



polytec manufactured drawer banks are available in a range of styles to suit the profile of your doors.

For a traditional look choose individual drawers to enhance the crafted look of each panel.

For the more contemporary integrated look choose a drawer bank style that matches the adjoining doors.

Mouldings

Mouldings are the newest addition to the polytec range of accessories, offering two styles in all colours, excluding Gloss. Mouldings can be used in a skirting board application or as a decorative feature.

Create a modern or traditional style interior with the Bevelled and Traditional profiles.













accessories

Roller Shutters

Heat Deflectors

Range Hoods

recommendations.

polytec warranty.

Thermolaminated doors & panels.

and complies to the polytec warranty.

Roller Shutters provide handy storage for bench top appliances.

The shutters can be easily accessed as required, or quickly concealed to keep your kitchen tidy.









When installing Thermolaminated doors above and around a range hood, ensure the range hood is installed to comply with the Australian Standards AS/NZS 4386.1 and our manufacturer The use of concealed range hoods with Thermolaminated doors & panels will void the



29

Bar Panels

polytec Thermolaminated Bar Panels are designed to suit a kitchen island bench or other exposed under bench joinery applications to match existing cabinetry styles. Bar Panels can have multiple profiles on one panel, typically manufactured with a larger bottom rail to replace kickboards.

Create a coherent, linear look by installing profiled Bar Panels into your design.



STYLE 4

polytec is the market leader when it comes to innovative door products. With the largest range of profiles and finishes, you can select a style that will complement your project.

Available in Thermolaminated doors or Cut & Rout doors finished in double sided satin melamine ready to prepare for painting, there is a design that will suit your needs.

Double sided satin melamine is suitable for professionally prepared 2-pack polyurethane or similar coating systems. Water based paints do not tend to bond easily to melamine surfaces and as such, the use of acrylic or domestic oil based paint is not recommended. In all applications, the painting of melamine doors and panels should be referred to a reputable paint-trade professional.

To achieve the best 2-pack polyurethane finish, polytec recommends the use of an under coat on the painted surfaces prior to the final finishing coats being applied. polytec will not accept responsibility for the paint finish on the white melamine surface.

If polytec Cut & Rout doors are supplied in good order, polytec takes no responsibility for adverse effects caused by further processes, storage and handling.

Styles & Thicknesses

Profile doors and panels are manufactured using 18mm/21mm machine grade moisture resistant medium density E0 fibreboard.




Recessed Handles


Your doors can ultimately be fitted with your choice of handles but if you are after that stylish, functional and simple look, polytec offer a selection of integrated finger grip designs. Refer to page 20 for Thermolaminated options or page 31 for Cut & Rout.



Edge Moulds




Cross sections are not true to scale.



STYLE 2

EM0

Portsea



STYLE 2

EM = Edge Mould Cross sections are not true to scale Portsea Right shown.

Recessed Handle. Available in Portsea Left, Portsea Right, or Portsea







Thermolaminated Core range /solid



Do yiew the large colour sample, visit www.polytec.com.au.

Dark coloured surfaces will show fingerprints and require more care and maintenance than lighter coloured surfaces. It is recommended to test a product sample prior to colour selection.

IMAGES LEFT: THERMOLAMINATED Cove 50 doors in Forage Smooth. Benchtop in **LAMINATE** Ligurian Walnut Woodmatt.

Available finishes G = Gloss M = Matt T = Texture Sm = Smooth

Pallido

Thermolaminated Core range / solid



Available finishes Sm = Smooth Su = Super Matt





IMAGE RIGHT:

THERMOLAMINATED Chifley doors in Coastal Oak Woodmatt.

THERMOLAMINATED Calcutta 10 wall panels in Coastal Oak Woodmatt.

Curved wall panels in LAMINATE Coastal Oak Woodmatt.

Wardrobe coloured internals in DECORATIVE 16mm Natural Cotton Matt.

Table top in XENOLITH Calcutta Calcutta D'oro Smooth.













ENVIRONMENT & SUSTAINABILITY

At polytec, sustainability is ingrained in the core of our business operations, products, and work practices. Our continual dedication to improving and appropriately managing the environmental impact of our products involves our commitment to steadfastly reducing our carbon footprint, minimising waste, optimising energy efficiency and integrating ethically sourced materials into our product ranges.

Our MDF and Particleboard are manufactured from managed and renewable plantation pine that has been Green Tag, Responsible Wood and PEFC certified. All polytec board products are manufactured from E0 or E1 substrates, with particleboard now made from a percentage of recycled wood material.

In our pursuit of responsible waste management, we implement various recycling programs encompassing aluminium, metals, used oils, and timber waste, which is repurposed into packaging, particleboard, and energy. We actively engage with local government environmental initiatives, subject ourselves to voluntary audits, and uphold our internal Energy and Carbon Management Policy (ECM), aligned with the Australian Government's Energy Efficiency Opportunities (EEO) program.

Our network of national facilities boasts over 53,000 solar panels, generating 15,238,000 kWh of renewable energy — equivalent to planting 7,377 trees and preventing the emission of 11,000 tonnes of CO2. The Oberon facility is Australia's largest rooftop solar system, with 27,000 panels spread across 8

In our ongoing commitment to sustainability, polytec continues to refine and enhance our practices to contribute to the establishment of a circular economy, fostering a better future for all.

polytec doors, panels and benchtops are certified Australian Made & Owned.



polytec do not recommend the use of Thermolaminated products in a sliding or non-fixed application (hinged) unless the use of a mechanical stabilising system is fitted. Thermolaminated doors & panels are supplied with a protective film to protect the surface during installation. This film must be removed within three months of installation.

Your Thermolaminated doors & panels are made from a Moisture Resistant Medium Density Fibreboard (MR MDF), but as with many wood based panels, they are not waterproof. Care should be taken to wipe up spills immediately, ensuring the doors are not exposed to high or continuous levels of moisture, steam and humidity

Thermolaminated doors & panels should be cleaned by wiping down with a white damp soft cloth and warm soapy water. For more stubborn stains use a mild household cleaning spray. Always ensure you refer to the recommendations provided by the manufacturer of the cleaning product before use.

By following these simple steps you should retain a beautiful kitchen surface for many years.

Visit www.polytec.com.au for specific care and cleaning information.

IMPORTANT

Darker colours will show superficial wear and tear more readily than lighter coloured surfaces and require more care and maintenance.

The colours and details shown in this brochure are to the highest standards in printing. However, they should only be used as an indication of actual product colour. To order your free colour sample visit www.polytec.com.au.

polytec swatches and samples represent a small area of the overall colour structure, to view a large colour sample or a full sheet design, visit www.polytec.com.au.

The use of our current samples gives the colour and finish that a customer would expect to receive. Samples are provided for colour and finish selection and polytec recommend testing a sample for fingerprint resistance and ease of cleaning. polytec does not guarantee exact colour matches across product ranges due to colour variation in each product group.

COMPLEMENTARY RANGES

DECORATIVE 18mm doors & panels

BENCHTOPS range

XENOLITH premium solid coloured core

STECCAWOOD prefinished decorative battens

DECORATIVE 16mm doors & panels

ALFRESCO & ALUMINIUM framed doors

WARDROBE range

35mm ARCHITECTURAL doors

*Feature lines in the Cove profiles (page 6), Peak profile (page 6), Calcutta profiles (pages 10, 15, 18), Bari profile (page 15) and Contour (page 15) will not align when ordered as separate different size pieces. If alignment is required across doors, drawers and panels this must be noted when ordering and a programming charge will be applied.

COVER IMAGE: THERMOLAMINATED Ascot doors and drawers in Oasis Smooth and Prime Oak Woodmatt.