

1 October 2026

Prime Oak™

polytec

Product Release

Multi-Piece Door – NEW Summit Design

polytec.com.au





Endless contrast,
elevated design.




A softer take on the classic frame.

Our **NEW Summit Multi-Piece Door** is a 21mm thick, five-piece construction, featuring a precise mitred frame with a 16mm insert panel and a gradual chamfer internal profile.

The centre insert is made from 16mm MDF MR E0, ensuring compatibility with the extensive 16mm decorative range and offering flexibility across a wide selection of finishes.

Designed and manufactured in Australia, Summit combines clean proportions with softened detailing to create a contemporary interpretation of the traditional frame-and-panel door.



Minimum Size: 120mm high by 147mm wide

Maximum Size: 2900mm high by 1200mm wide



21mm thick
five-piece door
construction
with a 16mm
insert panel and
a 20mm wide
frame

Soft gradual
chamfer profile

Clean lines with a softer approach to detail.

Summit shares the same proven construction, manufacturing process and interchangeable 16mm centre panel as the Vista Door, while replacing Vista's square 90° internal edge with a subtle internal radius.

The result is a softer visual transition between the frame and centre panel without compromising the quality, fabrication benefits or design flexibility of the Multi-Piece Door Range.

21mm multi-piece construction with 16mm insert

Made-to-order with flexible sizing options

Suitable for standard hinge applications

Available in a curated range of colours and finishes

Supplied made to order with standard hinge compatibility, Summit integrates seamlessly into new and existing cabinetry and sits alongside Vista and Surano within **polytec**'s Multi-Piece Door Range.

Available in a wide range of **polytec** finishes, it offers extensive design flexibility across residential and commercial joinery applications.



SUMMIT



Soft 30° gradual chamfer profile



VISTA



Sharp 90° internal edge

Six door samples are displayed in a row against a textured, light-colored wall. The first three doors have light-colored frames and inserts: the first is a light cream color, the second is a light grey fabric texture, and the third is a solid dark green color. The last three doors have dark wood-grain frames and inserts: the fourth is a solid dark brown color, the fifth is a solid dark brown color, and the sixth is a light-colored wood-grain texture. The doors are slightly angled, and the lighting creates soft shadows on the wall and floor.


Frame & Insert Colours

144 POSSIBLE COMBINATIONS

144 possible colour combination pairings.

Pairing light and dark tones creates depth and definition, highlighting the joinery while adding warmth and sophistication. Reverse the palette for a refined, contemporary look that feels balanced yet bold. Each combination shapes the mood of the space, from soft and understated to dramatic and architectural.

20mm Frame Options / Colours in Collection




polytec does not guarantee exact colour matches across product ranges due to colour variation in each product group.

Contrast capability for design flexibility.

A more refined cabinetry design can be achieved by selecting a matching frame and insert in the same **polytec** finish for a uniformed look. Alternatively, contrasting colours such as a bold insert against a neutral frame can add visual interest and highlight the joinery's architectural detail.

16mm Insert Options / Colours in Collection

The chosen insert colour carries through to the reverse side of the door, ensuring a consistent finish. Batten Oak™ insert comes with a Boston Oak™ rear backing.





Explore more

[Summit Design Brochure](#)

[More on Summit Design](#)

polytec

polytec.com.au